



2018 REVEGETATION SPECIES LIST AND ORDER FORM

ABN: 51452979880

Johnston Rd, (Off Willinge Drive Bunbury)
Opening hours: - Monday to Saturday 8.00am – 12.00pm
<http://www.leschenaultcommunitynursery.com.au>

NURSERY EMAIL orders@leschenaultcommunitynursery.com.au

PHONE No. 0477 799 900

POSTAL ADDRESS PO Box 4086, East Bunbury WA 6231

Leschenault Community Nursery is a not-for-profit nursery, run by a small employed workforce and many valued volunteers. The nursery produces 150 local native species for revegetation and retail sales for the South West region

Please note the following:

- Prices are wholesale prices. Minimum order quantity for revegetation prices is half tray of each species.
- Please return pots and trays for re-use and a refund may apply.
- Plants may be grown by arrangement from your own seed - surcharge may apply.
- Other species or special provenance may be available on request - surcharge may apply.
- Orders taken from November 1st and will be ready for pick up from May 1st and will be held no longer than August 31st
- All orders are:
 - To confirm orders a Purchase Order or 20% deposit is required
 - Provide 24 hours working days notice prior to pickup
 - Pickups are Mon-Thurs, unless prior arrangements
 - Signed for and dated when picked up
 - Variations are to be writing, prior to being picked up

Botanical Name	Common Name	FT	ST	Soil/habitat type	Order
Trees and large shrubs					
Acacia cyclops	Coastal Wattle	\$3.50	\$1.75	White/grey sand. Coastal sand dunes & limestone	
Acacia rostellifera	Scented Wattle	\$3.50	\$1.75	Coastal sand dunes	
Acacia saligna	Golden Wattle	\$3.50	\$1.75	Sand, gravel, clay, loam	
Agonis flexuosa	Peppermint Tree	\$3.50	\$1.75	White or grey sand, sandy soils, laterite, limestone. Coastal sand dunes, granite outcrops, limestone areas	
Allocasuarina fraseriana	Sheoak	\$3.50	\$1.75	Lateritic soils, white, grey or yellow sand. Jarrah forest, sand dunes	
Banksia attenuata	Slender Banksia	\$3.50		Sand, gravel White, yellow, brown or pale red sand, sometimes over laterite. Sand dunes, sandplains	
Banksia grandis	Bull Banksia	\$3.50		White or grey sand, laterite	
Banksia littoralis	Swamp Banksia	\$3.50		Grey or black peaty sand. Low-lying, seasonally damp areas, along watercourses	
Callitris preissii	Rottneest Island Pine	\$3.50		Yellow, white, grey or red sand, loam, light brown clay loam, granite, laterite, limestone. Granitic outcrops, flat or undulating plains to steep slopes, valley slopes, salt lake margins	
Callitris pyramidalis	Swamp Cypress	\$3.50		Gravel, loam, wet sand flats	
Casuarina obesa	Swamp Sheoak	\$3.50		Sand, clay, often in brackish or saline situations. Along rivers, creeks, salt lakes	



2018 REVEGETATION SPECIES LIST AND ORDER FORM

ABN: 51452979880

Johnston Rd, (Off Willinge Drive Bunbury)
Opening hours: - Monday to Saturday 8.00am – 12.00pm
<http://www.leschenaultcommunitynursery.com.au>

Botanical Name	Common Name	FT	ST	Soil/habitat type	Order
<i>Corymbia calophylla</i>	Marri	\$3.50	\$1.75	Red-brown clay loam, orange-brown sandy clay, gravel, grey sand over limestone, granite, laterite. Flats, hills, slopes, breakaways, wetlands, fringing salt marches, beside drainage lines	
<i>Eucalyptus decipiens</i>		\$3.50		White, yellow or grey sand, sandy clay, gravelly loam, laterite. Sandplains, hills, swamp margins, winter-moist sites	
<i>Eucalyptus gomphocephala</i>	Tuart	\$3.50	\$1.75	Sand over limestone. Coastal plains.	
<i>Eucalyptus laeliae</i>		\$3.50		Gravel, loam	
<i>Eucalyptus marginata</i>	Jarrah	\$3.50	\$1.75	Grey sand, clay or sandy loam, laterite. Hills, rises	
<i>Eucalyptus patens</i>	Swan River Blackbutt	\$3.50		Gravelly soils, sandy clay, loam. Depressions, stream banks, valleys	So
<i>Eucalyptus rudis</i>	Flooded Gum	\$3.50	\$1.75	Sandy or loam soils. Wetter parts of south-western WA, flats, hillsides	So
<i>Eucalyptus wandoo</i>	Wandoo	\$3.50		Sandy loam, clay loam, gravel, laterite, granite. Stony rises, undulating terrain	
<i>Melaleuca cuticularis</i>	Saltwater Paperbark	\$3.50		Sandy, clay. Winter wet depressions, salt lakes, coastal and water courses	
<i>Melaleuca huegelii</i>	Chenille Honeymyrtle	\$3.50	\$1.75	Sand, limestone cliffs, coastal plains & dunes	
<i>Melaleuca lanceolata</i>	Rottneest Teatree	\$3.50	\$1.75	Limestone, clay or loam, brown, grey or white sand. Limestone ridges, coastal cliffs and dunes, salt flats, near salt lakes	So
<i>Melaleuca preissiana</i>		\$3.50		Sandy soils, swamps	
<i>Melaleuca raphiophylla</i>	Swamp Paperbark	\$3.50		White or grey sand, clay, limestone. Saltmarshes, swamps, along watercourses	
<i>Melaleuca uncinata</i>	Broom Bush	\$3.50		Sandy or clayey soils, laterite. Sandplains, winter-wet depressions, saline flats.	So
<i>Melaleuca viminea</i>	Mohan	\$3.50		Near creeks or wet depressions, along watercourses, rocky coastal areas, flats.	
<i>Taxandria linearifolia</i>	Swamp Peppermint	\$3.50		Loam, clay or sand, gravel, quartzite, laterite. Bordering swamps & watercourses	So
<i>Taxandria parviceps</i>	Teatree	\$3.50		Sandy clay loam, black peaty sand, grey clay, laterite, quartzite, granite. Margins seasonally-wet areas, sand dunes, flats	So
<i>Xylomelum occidentale</i>	Woody Pear	\$3.50		White or grey sand	So
<i>Acacia cochlearis</i>	Rigid Wattle	\$3.50	\$1.75	White, yellow or red sand. Coastal or near coastal sandplains & sand dunes	So
<i>Acacia dentifera</i>	Wattle	\$3.50	\$1.75	Lateritic or granitic gravelly soils	
<i>Acacia extensa</i>	Wiry Wattle	\$3.50	\$1.75	Sandy & sandy lateritic soils. Damp areas, along watercourses, near swamps	So
<i>Acacia littorea</i>	Wattle	\$3.50	\$1.75	White/grey sand. Coastal limestone & dunes	So



2018 REVEGETATION SPECIES LIST AND ORDER FORM

ABN: 51452979880

Johnston Rd, (Off Willinge Drive Bunbury)
Opening hours: - Monday to Saturday 8.00am – 12.00pm
<http://www.leschenaultcommunitynursery.com.au>

Botanical Name	Common Name	FT	ST	Soil/habitat type	Order
<i>Acacia truncata</i>	Wattle	\$3.50	\$1.75	Sandy soils. Coastal limestone & dunes	So
<i>Allocasuarina humilis</i>	Dwarf Sheoak	\$3.50		Sand, often over laterite, sandy clay, gravel. Sandplains, sand dunes	
<i>Alyxia buxifolia</i>	Dysentery Bush	\$3.50		Sand, gravel, clay	So
<i>Banksia sessilis</i>	Parrot Bush	\$3.50		White, grey or yellow sand, limestone, laterite, granite	
<i>Callistachys lanceolata</i>	Wonnich	\$3.50		Sandy soils. In damp areas: along watercourses, swamps	So
<i>Calothamnus lateralis</i>		\$3.50		Grey or black peaty sand, clay. Swamps or winter-wet depressions	
<i>Calothamnus quadrifidus</i>	One-sided Bottlebrush	\$3.50		Wide variety of soils & habitats	
<i>Calothamnus sanguineus</i>	Silky Leaved Net Bush	\$3.50		Sandy or lateritic soils. Sandplains, limestone ridges, rocky outcrops	
<i>Diplolaena dampieri</i>	Southern Diplolaena	\$3.50		Sand. Coastal limestone & dunes, granite rocks	So
<i>Grevillea ripicola</i>	Collie Grevillea	\$3.50		Sandy clay, clay or gravelly loam. Swampy flats, granite outcrops, along watercourses	So
<i>Grevillea vestita</i>		\$3.50		Red or yellow sand, granite, limestone. Sandplains	So
<i>Hakea prostrata</i>	Harsh Hakea	\$3.50		Sandy soils, often over laterite, loam, gravel. Hillslopes, granite outcrops, coastal dunes	So
<i>Hakea trifurcata</i>	Two Leafed Hakea	\$3.50		White, grey/brown sand over limestone or laterite, loam, gravel	
<i>Hakea varia</i>	Variable-leaved Hakea	\$3.50		White, grey or red loamy sand, clay loam, laterite. Seasonally-wet flats	
<i>Hibbertia cuneiformis</i>	Cutleaf Hibbertia	\$3.50	\$1.75	White/grey sand, loamy soils. Coastal dunes, swampy plains	So
<i>Kunzea glabrescens</i>	Spearwood	\$3.50	\$1.75	Clay, sandy soils. Edges of swamps, lakes, rivers, moist depressions	
<i>Melaleuca incana</i>	Grey Honey Myrtle	\$3.50		Seasonally wet flats & depressions, swamps	
<i>Melaleuca lateritia</i>	Robin Red Breast	\$3.50		Black, grey or brown clay, dark brown sandy loam, yellow brown sandy clay, granite. Swampy areas	So
<i>Melaleuca systema</i>	Coastal Honey Myrtle	\$3.50		Sand over laterite, yellow/orange sand over limestone. Coastal stabilised dunes & rocky limestone	
<i>Melaleuca teretifolia</i>	Banbar	\$3.50		Sandy soils, clay. Winter-wet depressions, swamps	
<i>Rhagodia baccata</i>	Berry Saltbush	\$3.50	\$1.75	White-grey sand, limestone, granite. Sand dunes, coastal rocky areas, hills	
<i>Spyridium globulosum</i>	Basket Bush	\$3.50	\$1.75	Coastal sand dunes & limestone	
<i>Templetonia retusa</i>	Cockies Tongue	\$3.50	\$1.75	White sand, red clay, brown and white gravel, limestone. Plateaus, coastal cliffs, hillsides, road verges	



2018 REVEGETATION SPECIES LIST AND ORDER FORM

ABN: 51452979880

Johnston Rd, (Off Willinge Drive Bunbury)
Opening hours: - Monday to Saturday 8.00am – 12.00pm
<http://www.leschenaultcommunitynursery.com.au>

Botanical Name	Common Name	FT	ST	Soil/habitat type	Order
Viminaria juncea	Swishbush	\$3.50		Sandy & clayey soils. Near lakes & swamps, river banks, winter-wet depressions	
Acacia lasiocarpa	Panjang	\$3.50	\$1.75	Variety of soils, laterite. Winter-wet areas, swamps, coastal dunes & flats	So
Acacia pulchella	Prickly Moses	\$3.50	\$1.75	Sandy soils, clay loam over laterite. Low-lying areas, swamps, near watercourses	So
Anthocercis littorea	Yellow Tailflower	\$3.50		Calcareous sand. Coastal limestone, sand dunes & sandplains	So
Astartea fascicularis	False Baeckea	\$3.50		Sandy & lateritic soils. Along watercourses, winter-wet depressions, granite outcrops	
Beaufortia squarrosa	Sand Bottlebrush	\$3.50		White, grey or yellow sand, sometimes over limestone, laterite. Sandplains, associated with winter-wet depressions	So
Darwinia citriodora	Lemon Scented	\$3.50		Lateritic or granitic soils. Granite outcrops, hills	So
Hypocalymma angustifolium	White Myrtle	\$3.50		Grey to white sand, peaty soils, sandy clay, sandstone. Flats, swamps, along watercourses, near permanent fresh-water springs, outcrops, hillsides	So
Leucophyta brownii	Cushion Bush	\$3.50		Coastal foredunes, rock crevices in cliffs, base of cliffs, salt marshes	So
Melaleuca hamulosa		\$3.50		Winter-wet flats, saline depressions, swamps, granite outcrops	
Melaleuca thymoides	Sand Wattle Myrtle	\$3.50		Sandy soils, often over laterite or granite. Winter-wet depressions, granite hills, sand dunes	
Olearia axilaris	Coastal Daisybush	\$3.50		Coastal limestone & sand dunes, rocky hillsides	
Pericalymma ellipticum	Swamp Teatree	\$3.50		Leached sand with some clayey sands, lateritic soils. In elevated areas on seasonally swampy platforms	
Pimelea ferruginea		\$3.50		Grey or white sand. Coastal sand dunes & rocky headlands (limestone & granite)	So
Phyllanthus calycinus	False Boronia	\$3.50		Often on sandy soils	So
Xanthorrhoea brunonis		\$3.50		Sand, sandy clay, laterite	So
Xanthorrhoea preissii	Grass Trees	\$3.50		Grey to black sands, grey-brown loam, brown gravelly sandy clay, laterite, granite. Ranges, coastal plain, near watercourses	So
Anigozanthos flavidus	Tall Kangaroo Paw	\$3.50		Grey or yellow sand, clay, gravel. Drainage lines, fringing wetlands, roadside gutters	
Anigozanthos manglesii	Mangles Kangaroo Paw	\$3.50	\$1.75	White, yellow or grey sand, sandy loam	
Atriplex isatidea	Coastal Saltbush	\$3.50		White sand. Coastal dunes	So
Billardaria fusiformis	Australian Bluebells	\$3.50		Coastal areas, disturbed water crossing sites	So



2018 REVEGETATION SPECIES LIST AND ORDER FORM

ABN: 51452979880

Johnston Rd, (Off Willinge Drive Bunbury)
Opening hours: - Monday to Saturday 8.00am – 12.00pm
<http://www.leschenaultcommunitynursery.com.au>

Botanical Name	Common Name	FT	ST	Soil/habitat type	Order
<i>Carpobrotus virescens</i>	Coastal Pigface	\$3.50		White, grey or brown sand. Coastal limestone cliffs & dunes	
<i>Chorizema cordatum</i>	Flame Pea	\$3.50		Grey-brown sandy gravel, red-brown sandy loam or clay, over granite or laterite. Near rock outcrops, on hills, along streams and watercourses, winter-wet flats	
<i>Chorizema diversifolium</i>	Climbing Flame Pea	\$3.50		Sand or sandy loam, gravel. Limestone or granite outcrops	So
<i>Clematis pubescens</i>	Common Clematis	\$3.50		Dark brown sandy clay or loam, grey-white sand, gravel, laterite, limestone, granite. Coastal cliffs, coastal dunes, hills, valleys, river banks	So
<i>Conostylis aculeata</i>	Prickly Conostylis	\$3.50	\$1.75	Sand, loam, clay, gravel, limestone, laterite. Winter-wet areas, swamp margins, drainage areas, ditches, sand dunes	So
<i>Conostylis candicans</i>	Grey Cottonhead	\$3.50		Sand, sandy loam, limestone. Coastal dunes, sand dunes	So
<i>Dianella revoluta</i>	Blueberry Lily	\$3.50	\$1.75	Variety of soils, laterite, granite, limestone	So
<i>Dichondra repens</i>	Kidney Weed	\$3.50		Sandy soils	So
<i>Hardenbergia comptoniana</i>	Native Wisteria	\$3.50	\$1.75	Sandy soils. Coastal limestone, sandplains, dunes	
<i>Hemiandra pungens</i>	Snake Bush	\$3.50		Sand, clay and loam, gravel, laterite, granite. Rock outcrops	So
<i>Kennedia coccinea</i>	Coral Vine	\$3.50	\$1.75	Sand, gravel, clay soils	So
<i>Kennedia prostrata</i>	Running Postman	\$3.50	\$1.75	Sand - gravel soils	
<i>Orthrosanthus laxus</i>	Morning Iris	\$3.50	\$1.75	Laterite, sandy loam, sand, gravel	So
<i>Patersonia occidentalis</i>	Purple Flag	\$3.50	\$1.75	Grey-brown sand or sandy clay, red-brown clayey loam, gravel, laterite, ironstone, granite, limestone. Winter-wet areas, dunes, granite outcrops	So
<i>Patersonia umbrosa</i>	Yellow Flags	\$3.50		Sand, clay, loam, gravel, laterite. Winter-wet areas, drainage lines, hillsides	So
<i>Scaevola crassifolia</i>	Thick-leaved Fan Flower	\$3.50		Sand. Coastal dunes, plains & limestone cliffs	So
<i>Spinifex longifolius</i>	Beach Spinifex	\$3.50		White sand. Coastal sand dunes	So
<i>Baumea articulata</i>	Jointed Rush	\$3.50		Wet, black sand, waterlogged soils. Seasonal swamps, borders of lakes	
<i>Baumea preissii</i>		\$3.50		Silty sand, waterlogged soils. Swamps, bordering lakes and watercourses	So
<i>Baumea rubiginosa</i>	Soft Twig Rush	\$3.50		Streams, swamps	So
<i>Carex appressa</i>	Tall Sedge	\$3.50		Sandy peaty loam. Swamps, along watercourses	So
<i>Centella asiatica</i>	Herb	\$3.50		Winter-wet depressions	So



2018 REVEGETATION SPECIES LIST AND ORDER FORM

ABN: 51452979880

Johnston Rd, (Off Willinge Drive Bunbury)
Opening hours: - Monday to Saturday 8.00am – 12.00pm
<http://www.leschenaultcommunitynursery.com.au>

Botanical Name	Common Name	FT	ST	Soil/habitat type	Order
Ficinia nodosa	Knotted Club-rush	\$3.50		Bare white calcareous sand, dark sandy clay, granite, limestone. Coastal dunes, flats, seasonally-wet swamplands, shores of salt lakes	
Juncus kraussii	Sea Rush	\$3.50		White or grey sand, clay, alluvium. Swamps, brackish estuaries, saline flats	
Juncus pallidus	Pale Rush	\$3.50		Clay. Swamps, watercourses	So
Juncus subsecundus	Finger Rush	\$3.50		Clay. Swamps	So
Meeboldina roycei		\$3.50			So
Myriophyllum crispatum	Milfoil	\$3.50		Clay soils, mud, black sand. Creeks & swamps.	So