



Johnston Road (off Willinge Drive) Bunbury
 Opening Hours – Monday to Saturday 9am – 1pm (winter hours)
<http://www.leschenaultcommunitynursery.com.au>

2020 REVEGETATION SPECIES LIST AND ORDER FORM

NURSERY EMAIL orders@leschenaultcommunitynursery.com.au
PHONE NO. 0477 799 900
POSTAL ADDRESS PO Box 4086, East Bunbury WA 6231

Leschenault Community Nursery is a not-for-profit nursery, run by a small employed workforce and many valued volunteers. The nursery produces 150 local native species for revegetation and retail sales for the South West region.

WHOLESALE PRICE **\$3.50 tube**
ORDERS 1,000 TO 2,500 **\$2.75 tube**
ORDERS OVER 2,501 **\$2.50 tube**

Please note the following:

- FT is an abbreviation for Forestry Tubes. There are 40 tubes per tray.
- To ensure availability of plants, please submit your order by October 2019.
- When ordering, please give an estimated pickup/planting date.
- Plants may be grown by arrangement from your own seed - surcharge may apply.
- Other species or special provenance may be available on request - surcharge may apply.
- Requirements for all orders:
 - To confirm orders a Purchase Order or 20% deposit is required
 - Provide 24 hours working days notice prior to pickup
 - Pickups are Mon-Thurs, unless prior arrangements are made
 - Signed for and dated when picked up
 - Variations to be in writing, prior to being picked up

Customer: _____

Email: _____

Botanical Name	Common Name	Soil/Habitat Type	Order
Acacia alata	Winged Wattle	Shrub, 0.3-2.1 m high. Variety of soils. Near water, rocky hills, break aways, salt pans, and clay flats.	
Acacia cochlearis	Rigid Wattle	Bushy, erect to sprawling, pungent shrub, 0.5-3m high. White, yellow or red sand. Coastal or near coastal sandplains & sand dunes.	
Acacia cyclops	Coastal wattle	White/grey sand. Coastal sand dunes and limestone.	
Acacia dentifera		Erect lose shrub, 0.6-3m high. Often in lateritic or granitic gravelly soils.	
Acacia extensa	Wiry Wattle	Erect, slender shrub. 1-2m high. Often on sandy & sandy lateritic soils. Damp areas, along water courses, near swamps.	



Johnston Road (off Willinge Drive) Bunbury
 Opening Hours – Monday to Saturday 9am – 1pm (winter hours)
<http://www.leschenaultcommunitynursery.com.au>

2020 REVEGETATION SPECIES LIST AND ORDER FORM

Acacia lasiocarpa	Panjang	Shrub, 0.15-1.5 m high. Variety of soils, laterite. Winter wet areas, swamps, coastal dunes.	
Acacia littorea		Dense pungent shrub, 0.5-3m high. White/grey sand. Coastal conditions.	
Acacia myrtifolia		Glabrous, bushy shrub, 0.5-3m high. Frequently on sand or gravelly sand.	
Acacia pulchella	Prickly Moses	Divarcately branched, diffuse, occasionally spineless shrub, 0.5-1.5m high. Sandy soils, laterite. Commonly in low-lying areas, swamps & near water courses.	
Acacia saligna	Golden wattle	Sand, gravel, clay, loam.	
Acaccia truncata		Usually dense, domed shrub, 0.5-2.3 m high. Sandy soils, coastal limestone & dunes.	
Acacia urophylla		Lateritic soils, along creeks and river beds	
Adenanthos meisneri	Prostrate Woolly Bush	Erect or semi prostrate, lignotuberous shrub, 0.2-1.5 m high. White/grey or brown sand, gravel.	
Agonis flexuosa	Peppermint tree	White or grey sand, sandy soils, laterite, limestone. Coastal sand dunes, granite outcrops, limestone areas.	
Allocasuarina fraseriana	Sheoak	Lateritic soils, white, grey or yellow sand. Jarrah forest, sand dunes.	
Allocasuarina humilis	Dwarf Sheok	Dioecious or monoecious, erect or spreading shrub. 0.2-2 m high. Sand, often over laterite, sandy clay, gravel. Sand plains, sand dunes.	
Alyxia buxifolia	Dysentery Bush	Erect, rigid or spreading shrub, 1-3 m high. Variety of soils.	
Anigozanthos manglesii	Mangles Kangaroo Paw	Rhizomatous, perennial, herb, 0.2-1.1 m high. White, yellow or grey sand, sandy loam.	
Anthocercis littorea	Yellow Tailflower	Erect or rarely sprawling shrub. 0.6-3m high. Calcareous sand. Coastal limestone, sand dunes & sandplains.	
Astartea fascicularis		Erect shrub, 0.3-3 m high. Sandy and lateritic soils. Along water courses, winter-wet drepressions, granite outcrops.	
Atriplex cinerea	Grey Saltbush	Monoeciuous or dioecious, erect to spreading shrub. Saline sand. Coastal areas, limestone cliffs, salt lakes, sand dunes.	
Banksia attenuata	Slender banksia	Sand, gravel. White, yellow, brown or pale red sand, sometimes over laterite. Sand dunes, sandplains.	
Banksia grandis	Bull banksia	White or grey sand, laterite.	
Banksia ilicifolia			
Banksia littoralis	Swamp banksia	Grey or black peaty sand. Low-lying, seasonally damp areas, along watercourses.	



Johnston Road (off Willinge Drive) Bunbury
Opening Hours – Monday to Saturday 9am – 1pm (winter hours)
<http://www.leschenaultcommunitynursery.com.au>

2020 REVEGETATION SPECIES LIST AND ORDER FORM

Baumea articulata	Jointed Rush	Rhizomatous, robust perennial, grass-like or herb (sedge). 1-2.6 m high. Wet, black sand, water logged soils. Seasonal swamps, borders of lakes.	
Baumea rubiginosa		Rhizomatous, robust perennial, grass; like sedge, to 4 m high. Streams, swamps.	
Billardiera fusiformis	Australian Bluebells	Sturdy climber. Coastal areas, disturbed water crossing sites.	
Bossiaea eriocarpa	Common Brown Pea	Erect or straggly & spreading shrub. 0.2-1m high. Usually on sandy soils.	
Callistemon phoeniceus	Lesser bottlebrush	Moist well drained soils. Bird attracting. Red flowering late winter to summer.	
Callistachys lanceolata	Wonnich	Erect shrub or tree, 1.5-7 m high. Sandy soils, in damp areas, along water courses, swamps.	
Callitris preissii	Rottnest Island pine	Yellow, white, grey or red sand, loam, light brown clay loam, granite, laterite, limestone. Granitic outcrops, flat or undulating plains to steep slopes, valley slopes, salt lake margins.	
Callitris pyramidalis	Swamp cypress	Gravel, loam, wet sand flats.	
Calothamnus lateralis		Erect & slender shrub, 0.4-1.5m high. Grey peaty or black peaty sand, clay. Swamps or winter wet depressions.	
Calothamnus quadrifidus	One Sided Bottle Brush	Erect compact or spreading shrub, 0.9-2m high. Wide variety of soils & habitats.	
Calothamnus sanguineus	Silky-leaved Blood Flower	Erect to open spreading shrub, 0.2-2m high. Sandy or lateritic soils. Sandplains, limestone ridges, rocky outcrops.	
Carex appressa	Tall Sedge	Monoecious, rhizomatous, tufted perennial, grass like or herb sedge, 0.5-2m high. Sandy peaty loam. Swamps, along water courses.	
Carpobrotus virescens	Coastal Pigface	Prostrate succulent, perennial, herb, 0.1-0.3 m high, 0.5-3m high. White grey or brown sand. Coastal limestone cliffs & dunes.	
Casuarina obesa	Swamp sheoak	Sand, clay, often in brackish or saline situations. Along rivers, creeks, salt lakes.	
Chorizema cordatum		Erect, straggling or climbing shrub, 0.3-1.5 m high. Grey brown sandy gravel, red-brown sandy loam or clay. Near rock outcrops, along streams and water courses, winter wet flats.	
Clematis pubescens	Common Clematis	Strong, dioecious, woody shrub or climber, to 5m high. Dark brown sandy clay or loam	
Conostylis aculeata	Prickly Conostylis	Rhizomatous, perennial, grass like or herb, 0.06-0.5 m high. Sand, loam, clay, gravel, limestone, laterite. Winter wet areas, swamp margins, drainage areas, ditches, sand dunes.	
Conostylis candicans	Grey Cotton Head	Rhizomatous, perennial, grass-like or herb, 0.05-0.4 m high. Sand, sandy loam, limestone. Coastal dunes, sand dunes.	



2020 REVEGETATION SPECIES LIST AND ORDER FORM

<i>Corymbia calophylla</i>	Marri	Red-brown clay loam, orange-brown sandy clay, gravel, grey sand over limestone, granite, and laterite. Flats, hills, slopes, breakaways, wetlands, fringing salt marches, beside drainage lines.	
<i>Corymbia haematoxylon</i>	Mountain Marri	Tree or (Rarely mallee) 2.5-15m high. Sandy soils over sandstone or lateritic duricrust. Breakaways, scarps.	
<i>Corymbia ficifolia</i>		Straggly tree, 2-10 m high. White/grey sand or sandy loam, often with gravel. Hill slopes	
<i>Darwinia citriodora</i>	Lemon Scented Darwinia	Erect to prostrate shrub, 0.2-1.5 m high. Lateritic or granite soils. Granite outcrops, hills.	
<i>Dianella revoluta</i>	Blueberry Lily	Rhizomatous, perennial, herb, 0.3-1.5m high. Variety of soils, laterite, granite, limestone.	
<i>Diplolaena dampieri</i>	Southern Diplolaena	Rounded, erect, bushy shrub, 0.5-2m high. Sand. Coastal limestone & dunes, granite rocks.	
<i>Dodonaea aptera</i>	Coastal hop-bush	Sand. Coastal limestone conditions.	
<i>Eucalyptus decipiens</i>		White, yellow or grey sand, sandy clay, gravelly loam, laterite. Sandplains, hills, swamp margins, winter-moist sites.	
<i>Eucalyptus gomphocephala</i>	Tuart	Sand over limestone. Coastal plains.	
<i>Eucalyptus laeliae</i>		Gravel, loam.	
<i>Eucalyptus marginata</i>	Jarrah	Grey sand, clay or sandy loam, laterite. Hills, rises.	
<i>Eucalyptus megacarpa</i>	Bullich	Tree 2-35 m high. Sand, sandy loam, limestone. Hills, near swamps & streams.	
<i>Eucalyptus patens</i>	Swan River blackbutt	Gravelly soils, sandy clay, loam. Depressions, stream banks, valleys.	
<i>Eucalyptus rudis</i>	Flooded gum	Sandy or loam soils. Wetter parts of south-western WA, flats, hillsides.	
<i>Eucalyptus wandoo</i>	Wandoo	Sandy loam, clay loam, gravel, laterite, granite. Stony rises, undulating terrain.	
<i>Ficinia nodosa</i>	Knotted Club Rush	Erect, caespitose rhizomatous, perennial sedge. to 1m high. White sand, dark sandy clay, granite, limestone. Coastal dunes, flats, seasonally-wet swamplands, shores of salt lakes.	
<i>Gompholobium tomentosum</i>	Hairy Yellow Pea	Erect shrub, 0.3-1m high. White grey or yellow sand, sandy clay, lateritic sand. Coastal limestone & sand dunes, undulating plains.	
<i>Haemodorum spicatum</i>	Bloodroot	Bulbaceous, perennial, herb, 0.3-2m high. White grey or yellow sand, laterite, sandy clay. Dry & seasonally wet areas.	
<i>Hakea amplexicaulis</i>	Prickly Hakea	Erect or slender, lignotuberous shrub, 1-3m high. Clay loam, gravel, laterite.	



2020 REVEGETATION SPECIES LIST AND ORDER FORM

Hakea lissocarpha	Honey Bush	Erect to sprawling, pungent, shrub, 0.4-1.5m high. White grey or yellow sand, sandy loam, granitic soils, and laterite.	
Hakea prostrata	Harsh Hakea	Erect to spreading or prostrate shrub, 1-3 m high. Sandy soils, often over laterite, loam, gravel. Hillslopes, granite outcrops, coastal dunes.	
Hakea ruscifolia	Candle Hakea	Shrub, 0.5-3m high. White, grey or red/brown sand, gravelly clay.	
Hakea trifurcata	Two-leafed Hakea	Rounded or open shrub, 1.5-3m high. White, grey/brown sand over limestone or laterite, loam, gravel.	
Hardenbergia comptoniana	Native Wisteria	Twining shrub or climber. Coastal limestone, sandplains, dunes.	
Hemiandra pungens	Snakebush	Prostrate to ascending shrub, 0.05-1m high. Sand, clay and loam, gravel, laterite, granite. Rock outcrops.	
Hibbertia cuneiformis	Cutleaf Hibbertia	Erect or sprawling shrub, 1-3m high. White/grey sand, loamy soils. Coastal dunes, swampy plains.	
Hypocalymma angustifolium	White Myrtle	Erect multi-stemmed shrub, to 1.5 m high. Grey to white sand, peaty soils, sandy clay, and sandstone. Flats, swamps, along water courses, near permanent fresh water springs.	
Hypocalymma robustum	Swan River Myrtle	Erect shrub, 0.4-1 m high. Gravelly lateritic soils, sandy soils.	
Jacksonia furcellata	Grey Stinkwood	Prostrate to decumbent or weeping erect shrub, 0.4-4 m high. Sandy soils, sandplains, rises, swampy depressions, river banks.	
Juncus kraussi	Sea Rush	Rhizomatous, perennial herb, 0.3-1.2m high. White or grey sand, clay, alluvium. Swamps, brackish estuaries, saline flats.	
Juncus pallidus	Pale Rush	Rhizomatous, robust perennial herb, 0.5-2m high. Clay swamps, water courses.	
Juncus subsecundus	Finger Rush	Colonial perennial, herb, 0.3-1 m high. Clay, swamps.	
Kennedia coccinea	Coral Vine	Twining or trailing shrub or climber. Often sandy soils.	
Kennedia prostrata	Scarlet Runner	Prostrate or twining shrub. Usually sandy gravelly soils.	
Kunzea ericifolia/glabresense	Spearwood	Erect shrub, 1-4m high. Peaty sand, grey sand, quartzite. occasionally wet swamps, moist situations, amongst rocks on summit.	
Kunzea micrantha		Erect shrub, 0.35-1.5 m high. Sand, clay, loam or peaty soils. Winter-wet depressions, temporary mashes.	
Kunzea recurva		Erect or ascending shrub, 0.3-2m high. Variety of soils. Winter wet depressions, rocky slopes.	



2020 REVEGETATION SPECIES LIST AND ORDER FORM

Lepidosperma effusum	Spreading Sword-sedge	Rhizomatous, tufted robust perennial, grass like or herb sedge, 2.5m high, clumps to 2m high. White sand, brown loam. Creek and river edges, swamps (occasionally tidal).	
Lepidosperma gladiatum	Coastal Sword Sedge	Rhizomatous, tufted robust, perennial, grass-like. 0.5-1.5(-3) m high. White, grey or calcareous sand, limestone, loam. Dunes, creeklines	
Leucophyta brownii		Erect, compact shrub, to 1m high. White or grey-white sand over limestone, brown sand or brown sandy clay over granite. Coastal foredunes, rock crevices in cliffs, base of cliffs, salt marshes.	
Melaleuca cuticularis	Saltwater paperbark	Sandy, clay. Winter wet depressions, salt lakes, coastal and water courses.	
Melaleuca hamulosa		Shrub or tree, 1-6m high. Sandy soils. Winter wet flats, saline depressions, swamps, granite outcrops.	
Melaleuca huegelii	Chenille honeymyrtle	Sand, limestone cliffs, coastal plains and dunes.	
Melaleuca incana	Grey Honeymyrtle	Shrub or tree, 0.4-5 m high. Red-grey-brown sand, sandy clay over ironstone. Deasonally wet flats & depressions, swamps.	
Melaleuca lanceolata	Rottnest teatree	Limestone, clay or loam, brown, grey or white sand. Limestone ridges, coastal cliffs and dunes, salt flats, near salt lakes.	
Melaleuca laterita	Robin Redbreast Bush	Erect, compact shrub, t0 2.5m high. Black, grey or brown clay, dark brown loamy sand, yellow brown sandy clay, granite. Swampy area,	
Melaleuca nesophila	Showy honey myrtle	Sandy soils. Pink/purple flowering spring/summer.	
Melaleuca preissiana		Sandy soils, swamps.	
Melaleuca raphiophylla	Swamp paperbark	White or grey sand, clay, limestone. Saltmarshes, swamps, along watercourses.	
Melaleuca seriata		Shrub, 0.25-1 m high. Fl. pink-purple-red, Aug-Dec. White, grey or yellow sand over laterite or clay, clay loam. Ridges, sandplains, winter-wet depressions.	
Melaleuca systema		Erect to spreading shrub, 0.5-2m high. Sand over laterite, yellow/orange sand over limestone. Coastal stabilised dunes & rocky limestone.	
Melaleuca teretifolia	Banbar	Shrub or tree, 1-5m high. Sandy soils, winter wet depressions, swamps.	
Melaleuca thymoides		Shrub, 0.4-2m high. Sandy soils, often over laterite or granite. Winter wet depressions, granite hills, sand dunes.	



2020 REVEGETATION SPECIES LIST AND ORDER FORM

Melaleuca uncinata	Broom bush	Sandy or clayey soils, laterite. Sandplains, winter-wet depressions, saline flats.	
Melaleuca viminea	Mohan	Near creeks or wet depressions, along watercourses, rocky coastal areas, flats.	
Mirbelia dilatata	Holly-leaved Mirbelia	Erect or semi weeping, prickly shrub, 0.5-3m high. Gravelly soils, laterite, sandy soils.	
Olearia axillaris	Coastal Daisy Bush	Erect, much branched shrub, 0.5-3m high. White/grey or red sand, loam. Coastal limestone & sand dunes, rocky hillsides.	
Orthrosanthus laxus	Mornis Iris	Rhizomatous, perennial, herb, 0.15-0.55m high.	
Patersonia occidentalis	Purple Flag	Rhizomatous, tufted perennial, herb, to 1.5m high. Grey-brown sand or sandy clay, red-brown clayey loam. Winter wet areas, dunes, granite outcrops.	
Paraserianthes lophantha	Albizia	Shrub or tree, 1-10m high. Sandy or granitic soils. Winter wet depressions, near creeks or swamps, granite outcrops.	
Patersonia umbrosa	Yellow Flag	Rhizomatous, tufted perennial, herb, 0.3-0.9 m high. Sand, clay, loam, gravel, laterite. Winter wet areas, drainage lines, hillsides.	
Pericalymma ellipticum	Swamp teatree	Leached sand with some clayey sands, lateritic soils. In elevated areas on seasonally swampy platforms.	
Phyllanthus calycinus	False Boronia	Erect shrubs, 0.2-1.2m high. Often on sandy soils.	
Pimelea ferruginea		Grey or white sand. Coastal sand dunes and rocky headlands (limestone and granite).	
Rhagodia baccata		Spreading shrub, 0.3-2 m high. White grey sand, limestone, granite. Sand dunes, coastal rocky areas, hills.	
Scaevola crassifolia	Thick-leaved Fan-flower	Erect or decumbent, viscid shrub, 0.1-1.5m high. Sand. Coastal dunes, plains & limestone cliffs.	
Spinifex longifolius	Beach Spinifex	Rhizomatous, tussock-forming perennial, grass-like or herb, 0.3-1m high. White sand. Coastal dunes.	
Spyridium globulosum	Basket Bush	Erect shrub, 0, 6-5m high. Coastal sand dunes & limestone.	
Taxandria linearifolia		Small tree or shrub, to 5m high. Loam, clay or sand, gravel, quartzite, laterite. Boardering swamps & water courses.	
Templetonia retusa	Cockies Tounge	Much branched shrub, 0.3-4 m high. White sand, red clay, brown and white gravel, limestone.	
Viminaria juncea	Swish Bush	Erect often weeping shrub, 1-4m high. Sand & clayey soils. Near lakes & swamps, river banks, winter wet depressions.	



Johnston Road (off Willinge Drive) Bunbury
 Opening Hours – Monday to Saturday 9am – 1pm (winter hours)
<http://www.leschenaultcommunitynursery.com.au>

2020 REVEGETATION SPECIES LIST AND ORDER FORM

Xanthorrhoea brunonis		Sand, sandy clay, laterite.	
Xanthorrhoea preissii	Grass trees	Grey to black sands, grey-brown loam, brown gravelly sandy clay, laterite, granite. Ranges, coastal plain, near watercourses.	